

Dec 1965 DATE 88 COPY 10

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010006-9

_														
COPY			COPY NO.	PUB. DATE		LOCATIO	N		MAST	ER	DATE RECEIVED	LOCATION		
			DISPOSIT	Ved For Re	leas	e 2003/	08/05 :	ĈΙΑ	RDF	78T0	5164A000400010006-9	MAXIMUM	10	
CUT TO O		0	DATE 1-72	CUT TO COPIES		DATE		COPIES DESTROYED						-
CUT TO COPIES CUT TO COPIES			DATE	CUT TO COPIES		DATE								
			DATE	MASTER										- <u> </u>
DATE			- <del></del>		NUMBER OF COPIES			DATE				NUMBER OF COPIES		
мо.	DAY YR.		RECEIVED OR	ISSUED	REC	EC'D ISS'D BAL		MO.	DAY	YR.	RECEIVED OR ISSUED	REC C	Iss'o	BAL
9	3	68	Dist. Unit #	<sup>(</sup> 91 <b>-1</b> 00	10	)	10							
6	23	72	DEST 9	71-100			0	W	κ	6				
					<del>                                     </del>								-	-
				***	-	-		<del> </del>						
	-+				<del> </del>									
				<del></del>			ļ						ļ	ļ
					<u> </u>			ļ						
					†								-	<del> </del>
TITL	E NP	TC		ved For Re				CIA!	RDI	78T	05161A000400010006-1	<b>9</b>		<u> </u>
X1			PIR	61074	D	图0.19	65	ĪŚ				251	.33 V	∕25×

to be a box car, long.

The missile sitting inside the 215 foot high gantry on pad G-4 is in diameter at the base. The visible portion of the missile appears to be a cluster of six boosters, each identical and at least height (Figure 5).


There appear to be partially opened doors covering the flame exhaust ports at launch pad G-4. At the time of a launch, these are opened or removed thereby uncovering the sides of the pad permitting blast and exhaust deflection. Three of these doors, each approximately 20 feet wide and 30 feet high, are located on either side of pad G-3 and pad G-4 (Figure 5).


The tank cars on the rail lines, serving pads G-3 and G-4, are identical in size and shape. Seven cars are on the rail line serving pad G-4, and

-1-

	101	Seeker 1		000400010006-9	
	ÇIA IMAG	ERY ANALYSIS DIVISI	ON	CIA/PIR-610	74
nine cars are on approximately (Figure 5).				f these cars is ne of 8,000 gallo	ons
The gantry s 80 feet high. Du configuration of		the available			and
A transporte transporter tract tractor is 35 fee probable light du and a possible ut	or is just south t long. Other e ty trucks each	and parallel quipment in t	to the to		<b>;</b>
and 10 feet in di to be secured in The length to wid	that position by th ratio of this	mponent, sitt a support ar component is	ing erect ound its b	on the pad, appearse (Figure 8).	ars
The two tran	sporters at Laun oad vehicles sim	ch Area G-8/9 ilar to the o	are ne located	rades.	
The two tran wide. They are r	sporters at Laun oad vehicles sim one of the two	ch Area G-8/9 ilar to the o	are ne located	rades.	
wide. They are r	sporters at Laun oad vehicles sim one of the two	ch Area G-8/9 ilar to the o Type III-D si	are ne located	rades.	
The two tran wide. They are r located near G-9,	sporters at Laun oad vehicles sim one of the two	ch Area G-8/9 ilar to the o Type III-D si	are ne located	rades.	are
The two tran wide. They are r located near G-9,  PHOTOGRAPHY  Mission	sporters at Laun road vehicles sim one of the two	ch Area G-8/9 ilar to the o Type III-D si EFERENCES	are ne located	ades.  l at pad G-5 and s launch area.	are
The two tran wide. They are r located near G-9,  PHOTOGRAPHY  Mission	sporters at Laun road vehicles sim one of the two	ch Area G-8/9 ilar to the o Type III-D si  EFERENCES  Frame  OP SECRET	are ne located	ades.  l at pad G-5 and s launch area.	are
The two tran wide. They are r located near G-9,  PHOTOGRAPHY  Mission  DOCUMENTS	sporters at Laun road vehicles sim one of the two R  Pass  Pass  March 1965 (Total Pass)	ch Area G-8/9 ilar to the o Type III-D si  EFERENCES  Frame  OP SECRET	are ne located	ades.  l at pad G-5 and s launch area.	are
The two tran wide. They are r located near G-9,  PHOTOGRAPHY  Mission  DOCUMENTS	sporters at Laun road vehicles sim one of the two representations one of the simple state of the second sec	ch Area G-8/9 ilar to the o Type III-D si  EFERENCES  Frame  OP SECRET	are ne located	ades.  l at pad G-5 and s launch area.	are
The two tran wide. They are r located near G-9,  PHOTOGRAPHY  Mission  DOCUMENTS  REQUIREMENT	sporters at Laun road vehicles sim one of the two representations one of the simple state of the second sec	ch Area G-8/9 ilar to the o Type III-D si  EFERENCES  Frame  OP SECRET	are ne located	ades.  l at pad G-5 and s launch area.	are

-2-







LONG RAIL CAR AT COMPLEX G MISSILE ASSEMBLY BUILDING (PROBABLE CONFIGURATION)











115'






Approved For Release 2003/08/05 SECRET RDP78T 05161 A000400010006-9


**25**× 25×



25)

25)








GANTRY AT LAUNCH AREA G-5/6

(Possible Configuration)
Approved For Release 2003/08/05 : CIA RDP78 T05161A000400010006-9
T0P SECRET

6







MISSILE COMPONENT ON PAD G-6 (Possible Configuration)

## Approved For Release **2009**/0**SECRET** T05161A000400010006-9